AGA RAYBURN



RAYBURN RANGER®

A New Generation, All-Electric Rayburn

The fully-electric Rayburn Ranger® provides flexible, energy-efficient cooking and beautiful retro styling to your home.

The cooker includes two large capacity heat storage radiant ovens plus a warming oven, which operate independently. It also benefits from a grill, a cast iron hotplate, which can be set to boiling or simmering mode and two-zone induction hob.

The exterior is available in eight colour options including traditional shades and bold hues; Tomato, Marmalade and Sunshine.



Key Features:

- Controllable cast iron hotplate with boiling and simmering modes
- Two-zone induction hob with bridging feature which provides the option of a larger cooking surface for griddling
- Enamelled steel, heat storage radiant roasting oven with 900W grill
- Enamelled steel, heat storage radiant roasting oven with 900W grill
- Warming oven for heating crockery or keeping food warm until serving
- Easy to use control panel
- No servicing, plinth or flue required
- Improved energy-efficiency and lower running costs with E-setting

Control Panel

Independent control of each oven Roasting Baking / simmering First Service Grill Warming oven switch

Control for cast iron hotplate

- Boiling
- Simmering
- Off

The Ovens

- Two 5mm radiant steel ovens with enamelled liner
- Cast iron doors

- · Magnetic door catches for smooth closure
- Stainless steel door liners that can be removed for cleaning by hand or in a dishwasher

Roasting Heat Storage Oven and Grill

 Heats up from cold in 90 minutes, for high temperature cooking


 900W grill with four grilling positions, which heats up in 10 minutes from cold

 E-setting heats to low baking temperature in 60 minutes




Baking / Simmering Heat Storage Oven

- Can be set to baking or simmering mode
- Heats up from cold in 120 minutes, for moderate temperature baking
- E-setting reduces baking oven to simmering oven for slow, low temperature cooking




 Can be used independently from other ovens

The Hotplate / Induction Hob



Two-Zone Induction Hob

- Temperature settings:
 - Defrosting 44°C
 - Warming 70°C
 - Simmering 94°C
- Bridging function across two zones, suitable for use with a griddle or fish kettle
- Boil dry detection
- Timer function
- Permanent pot detection
- 'Power boost' function provides ten minutes of maximum power
- Child lock and pause button





Specifications

RAYBURN RANGER® 100	HEIGHT	WIDTH	DEPTH	WEIGHT
	(MM)	(MM)	(MM)	(KG)
RRE1003i	910	990	670	240

OVENS	HEIGHT (MM)	WIDTH (MM)	DEPTH (MM)	USABLE (L)
Roasting Heat Storage Oven	289	355	464	39.3
Baking Heat Storage Oven	261	355	464	35
Warming Oven	252	350	484	38.2

Fuel: All electric 2 x 13-amp connections **Venting:** Vented into the room from the top of

the cooker. Cooker hood recommended **Chassis:** Adjustable feet and wheels to

allow easier installation

Installation: 5mm gap required

Warranty: 3 year parts and 1 year labour **Servicing:** Regular servicing is not required





Colour Options

From natural neutrals to beautiful bolds, the Rayburn Ranger® is available in eight colourways:



Note: Rayburn Ranger side panels are black.

agaliving.com

For your local UK AGA Rayburn specialist, call **01952 642080**

Republic of Ireland: +353 (0)51 302 322 Service & support: 01952 643149

customerrelations@agarangemaster.co.uk

Follow us on social media:









UK Registered Designs 6183046, 6183047, 6183048, 6183049, 6183050, 6183051



